## 

			017	THE DIVISION OF OIL	AND GAS CO	7143E1	WATION		
REMARKS:	WELL LO	GE	LECTRIC LOGS_	FILEWATER S	ANDSLOCA	TION II	NSPECTED_	SUB. REPORT/	abd
				<u> </u>					
10-1-7	6 Locat	ion ab	andoned; we	ell never drill	ed				
	,.			**	·				
DATE FILE	P 8/1	8/75							
LAND: FE	E & PATEN	TED	STATE LEASE NO	).	PUBLIC LEASE	NO.	U-08107	INDIAN	
DRILLING	APPROVED	: 8 <b>-</b> 22	2-75						
SPUDDED	IN:								
COMPLETE	D:		PUT TO PRO	DUCING:	<b>*</b>	•			
INITIAL PR	ODUCTION	:							
GRAVITY A	.P.1.								
GOR:									
PRODUCIN	G ZONES:								
TOTAL DE	PTH:								
WELL ELE	VATION:								
DATE ABA	NDONED:	10-1-7	6 Location	abandoned					
FIELD: P			3/86	<u>,                                      </u>					
	eters P								
COUNTY:		bon							
WELL NO.		PETE	RS POINT UN	IT #12			APT. NO:		
LOCATION	492	FT	. FROM (N)X(6) LI	NE, 928	FT. FROM (E)	W) LIN	E. NE	NW NW 4-4 sec	34
TWP.	RGE.	SEC.	OPERATOR		TWP.	RGE	E. SEC.	OPERATOR:	
\								<b>+</b>	
12.5	16 E	34	RESERVE (	TI & GAS CO.					

10-1-76-focation abandoned; well noverdrilled

aug The N. 1/5

#### DESIGNATION OF AGENT

Supervisor, Oil and Gas Operations:

The undersigned is, on the records of the Geological Survey, Unit Operator under the Peters Point unit agreement, Carbon County, Utah, No. 14-08-001-307 approved August 6, 1952 and hereby designates:

NAME:

Reserve Oil and Gas Company

ADDRESS:

Post Office Box 5568 Denver, Colorado 80217

as its agent, with full authority to act in its behalf in complying with the terms of the Unit Agreement and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to drilling, testing and completing unit well No. 12, in the NW/4 Section 34, T-12-S, R-16-E, Carbon County, Utah.

It is understood that this designation of agent does not relieve the Unit Operator of responsibility for compliance with the terms of the unit agreement and the Oil and Gas Operating Regulations. It is also understood that this designation of agent does not constitute an assignment of any interest under the unit agreement or any lease committed thereto.

In case of default on the part of the designated agent, the Unit Operator will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The Unit Operator agrees promptly to notify the oil and gas supervisor of any change in the designated agent.

This designation of agent is deemed to be temporary and in no manner a permanent arrangement.

This designation is given only to enable the agent herein designated to drill the above-specified unit well. Unless sooner terminated, this designation shall terminate when there is filed in the appropriate district office of the U.S. Geological Survey a completed file of all required Federal reports pertaining to subject well. It is also understood that this designation of agent is limited to field operations and does not cover administrative action requiring specific authorization of the Unit Operator.

	EL PASO NATURAL GAS COMPANY
DATE:	Unit Operator
8-13-75	By J.w. Sittle
40 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	Its Assistant Vice President

PERMIT NO.

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

# DEPARTMENT OF THE INTERIOR

(Other instructions reverse side)

	05010					
A 554 15 A 516 1	GEOLO	GICAL SURV	'EY		บ-08107	
APPLICATION	V FOR PERMIT 1	O DRILL.	DEEPEN, OR PLUG	BACK	6. IF INDIAN, ALLOTTEI	C OR TRIBE NAME
. TYPE OF WORK					_//	1
	LL XX	DEEPEN	PLUG BA	ACK 🗌	7. UNIT, AGREEMENT A	MACE .
OIL TYPE OF WELL G.	AS 🖂		SINGLE [7] MULT	TIPLE	8. FARM OR LEASE NAI	any.
WELL XX W	ELL OTHER		ZONE ZONE		Jack Canyor	1/
Reserve Oil	and Gas Comp	any		*	9. WELL NO.	fury
ADDRESS OF OPERATOR		<u> </u>			# 12	
	58, T.A., Den			-	10. FIELD AND POOL, C	OR WILDCAT
LOCATION OF WELL (R	eport location clearly and	in accordance wi	ith any State requirements.*)		Jack Canyon	-Peters Po
	FNL, 928' F	WL	NENWY		11. SEC., T., R., M., OR AND SURVEY OR AL	BLK.
At proposed prod. zor	e		NEPIN		Sec. 34-T12	
DISTRIBUTE IN THE PROPERTY OF			·			
	and direction from NEAR		ST OFFICE*		12. COUNTY OF PARISH Carbon	Utah
DISTANCE FROM PROP	ith of Myton,	ULAII	1 16. NO. OF ACRES IN LEASE	117 NO 0	F ACRES ASSIGNED	Julian
LOCATION TO NEARES' PROPERTY OR LEASE I	r	492'	640		HIS WELL	•
(Also to nearest drig DISTANCE FROM PROF			19. PROPOSED DEPTH	20 ROTAL	80 RY OR CABLE TOOLS	
TO NEAREST WELL, DOR APPLIED FOR, ON TH	RILLING, COMPLETED,		3500'		Rotary	- %
ELEVATIONS (Show wh	ether DF, RT, GR, etc.)		1 3300	<u> </u>	22. APPROX. DATE WO	ORK WILL START*
250' GL					9-1-75	
	P	PROPOSED CASI	NG AND CEMENTING PROG	RAM		*
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER	FOOT SETTING DEPTH		QUANTITY OF CEME	NT
16"	13-3/8"	48.0#	100'	100	sx	
12-1/4"	8-5/8''	24.0#	300'	_  260	sx	
	8-5/8" 5-1/2"	24.0#   15.5#			sx.	
12-1 <u>/4''</u> 7-7/8''	5-1/2"	15.5#	3500'	250		
12-1 <u>/4"</u> 7-7/8" Work wi	5-1/2" L1 be perform	15.5# ed w/Rota	3500' ary Drilling Ri	250 g.	sx.	of serious
12-1/4" 7-7/8" . Work will. KCL Mud	5-1/2" L1 be perform System of go	15.5# ed w/Rota od quali	3500' ary Drilling Rig ty will be used	250 g.	sx.	of serious
12-1/4" 7-7/8" . Work will KCL Mud lost cir	5-1/2" If he perform System of go culation, wispective zone	15.5# ed w/Rota od quali 11 drill s will be	3500' ary Drilling Rig ty will be used with air. e tested by DST	g. , or in or Swa	sx. the event of	of serious
12-1/4" 7-7/8"  Work will KCL Mud lost circ All pros	5-1/2"  If he perform system of gorculation, wispective zone togs will be	15.5# ed w/Rota od quali 11 drill s will be e run to	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i	g. , or in or Swa f possi	sx. the event of the ble.	
12-1/4" 7-7/8"  . Work will KCL Mud lost cire All prosecutive Should	5-1/2"  Il be perform System of go cculation, wi spective zone c Logs will b the well be a	ed w/Rota od quali 11 drill s will be e run to bandoned	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi	sx. the event of the ble.	
12-1/4" 7-7/8"  . Work will host circle All prosection Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform	sx. the event of the ble. led according	
12-1/4" 7-7/8"  . Work will host circles All prosession Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform	sx. the event of the ble. ded according	g to
12-1/4" 7-7/8"  . Work will KCL Mud lost cir All prosecutive Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform conditi	sx. the event of the ble. ed according	g to /ISION OF
12-1/4" 7-7/8"  . Work will host circle All prosection Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform conditi	sx. the event of the ble. ded according	g to
12-1/4" 7-7/8"  . Work will host circles All prosession Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform conditi API	the event of the ble. sed according on.  PROVED BY DIV. & GAS CONST	g to VISION OF ERVATION
12-1/4" 7-7/8"  . Work will host circle All prosection Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform conditi	the event of the ble. sed according on.  PROVED BY DIV. & GAS CONST	g to VISION OF ERVATION
12-1/4" 7-7/8"  . Work will host circle All prosection Should Federal	5-1/2"  If he perform System of go culation, wispective zone Logs will be a and State di	ed w/Rota od quali 11 drill s will be e run to bandoned rections	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be	g. , or in or Swa f possi perform conditi API	the event of the ble. sed according on.  PROVED BY DIV. & GAS CONST	g to VISION OF ERVATION
12-1/4" 7-7/8"  Work will have cired to the cired to	1 be perform System of go culation, wi spective zone Logs will b the well be a and State di n site will b	15.5# ed w/Rota od quali 11 drill es will be e run to bandoned rections e restor	ary Drilling Righty will be used with air. e tested by DST Total Depth, is, work will be sed to original expensor plug back, give data on	g. , or in  or Swa f possi perform conditi API OIL DAT	the event of the ble. ble. con. PROVED BY DIV. & GAS CONST	VISION OF ERVALUN
12-1/4" 7-7/8"  . Work will will will be the second of the	1 5-1/2"  Il be perform System of go culation, wispective zone Logs will be a and State din site will be a site will be series will be a site	15.5# ed w/Rota od quali 11 drill es will be e run to bandoned rections e restor	3500' ary Drilling Rig ty will be used with air. e tested by DST Total Depth, i , work will be ed to original	g. , or in  or Swa f possi perform conditi API OIL DAT	the event of the ble. ble. con. PROVED BY DIV. & GAS CONST	VISION OF ERVATION
12-1/4" 7-7/8"  L. Work will C. KCL Mud lost cir All pros Electric Should Federal Location	1 5-1/2"  Il be perform System of go culation, wispective zone Logs will be a and State din site will be a site will be series will be a site	15.5# ed w/Rota od quali 11 drill es will be e run to bandoned rections e restor	ary Drilling Righty will be used with air. e tested by DST Total Depth, is, work will be sed to original expensor plug back, give data on	g. , or in  or Swa f possi perform conditi API OIL DAT	the event of the ble. ble. con. PROVED BY DIV. & GAS CONST	VISION OF ERVALUN

TITLE

APPROVAL DATE \_

DATE\_

POST OFFICE BOX 5568, DENVER, COLORADO 80217 DENVER CENTER BUILDING TELEPHONE (303) 861-7800

ROBERT P. MANGOLD, MANAGER-WESTERN DIVISION

August 15, 1975

U.S. Department of the Interior Geological Survey 8426 Federal Building 125 South State Street Salt Lake City, Utah 84138

> Lse. Desig./Serial No. U-08107 Jack Canyon No. 11 Letur Pour Section 34-T12S-R16E Carbon County, Utah

#### Gentlemen:

Please find enclosed three copies of Form 9-331C covering the captioned well for your approval. Also enclosed are the following:

3 copies - Summary of Pertinent Information

3 copies - Location Plat

- 12 Point Surface Use Plan 1 copy

Designation of Agent, as executed by Unit Operator, will be forwarded as soon as it is available.

Yours very truly,

Enclosures

RPM: pm

State of Utah Division of  $\checkmark$ Oil, Gas, and Mining

1. EXISTING ROAD Leter Pout 12

To reach Reserve Oil and Gas Company Well Location Jacks Ganyon No. 11 in Section 34, T12S, R16E, S.L.B.&M. proceed south from Myton, Utah on State Highway 53, 31 miles to intersection in Nine Mile Canyon; exit left and proceed 7 miles; exit south up Cottonwood Canyon and proceed 10 miles, staying on same road to existing oil and gas well; proceed 1.1 miles on graded road to existing road; exit left and proceed 1/2 mile to said location alongside airplane runway.

#### 2. PLANNED ACCESS ROADS

As shown on the attached topographic map, the proposed access road leaves the location on the south and proceeds Southwesterly 1/2 mile alongside airplane runway; exit right and proceed 1.1 miles to existing road.

#### 3. LOCATION OF EXISTING WELLS

As shown on the attached topographic map, Jacks Canyon No. 7 is 1/2 mile Southeast of the location. There are no other known wells within a radius of 1/2 mile.

#### 4. LATERAL ROADS TO WELL LOCATIONS

Roads to well locations in the existing area are shown on the attached topographic map.

#### 5. LOCATION OF TANK BATTERIES AND FLOWLINES

See attached location layout sheet.

#### 6. LOCATION AND TYPE OF WATER SUPPLY

Water used to drill this well will be hauled from a water well 1-3/4 miles West of the location.

#### 7. METHODS FOR HANDLING WASTE DISPOSAL

All waste will be burned in a pit and covered with a minimum of 2' of cover. A portable chemical toilet will be supplied for human waste.

PAGE 2 Continued

#### 8. LOCATION OF CAMPS

There will be no camps.

#### 9. LOCATION OF AIRSTRIPS

The existing airstrip will be maintained.

#### 10. LOCATION LAYOUT


See attached location layout sheet.

#### 11. PLANS FOR RESTORATION OF SURFACE

There is no significant topsoil in the area.

#### 12. TOPOGRAPHY

The area surrounding the well location consists of generally steep hills vegetated with juniper, grass, and sagebrush. There are also some gullies and washes. A steep hillside rises up approximately 500' to the Northeast.



1 Storage Tanks Mud Honse b Well 150 150 Mud House 1 R19 Mudanka RESERVE PITS 150

RESERVE OIL & GAS CO
LOCATION LAYOUT

JACKS CANYON Nº 11

Sec 34, TIZS, RIGE, SLB&M

POSI-OFFICE BOX 5568, DENVER, COLORADO 80217

DENVER CENTER BUILDING

TELEPHONE (303) 861-7800

ROBERT P. MANGOLD, MANAGER-WESTERN DIVISION

August 18, 1975

U.S. Department of the Interior Geological Survey 8426 Federal Building 125 South State Street Salt Lake City, Utah 84138

> RE: Lse. Desig./Serial No. U-08107 PETERS POINT NO. 12 Section 34-T12S-R16E Carbon County, Utah

#### Gentlemen:

Further to my letter of August 15, 1975, with various enclosures, seeking approval of the captioned location, attached hereto is the Designation of Agent form, which has just been received from El Paso Natural Gas Company.

This will also verify my telephone call of today, during which it was requested that the subject well nomenclature, previously shown as Jack Canyon No. 11 be changed to Peters Point No. 12.

Yours very truly,

RPM: pm Attach.

cc: State of Utah Division of uOil, Gas and Mining
1588 West, North Temple
Salt Lake City, Utah 84116

### \*FILE NOTATIONS\*

Date:	lug. 19-2	<u>'15</u>
Operator:	- Sesse	Wy Oil & Gus
Well No:	feter	Peut 12
Location:	Sec. 34 T.	125 R. 16E County: arbon
	,	
File Prepar	ed	Entered on N.I.D.
Card Indexe	ed D	Completion Sheet
		Mark va.
Checked By:		_1/
	strative Assista	nt: Stu
F	Remarks:	$\rho$
Petrol	.eum Engineer/Min	ed Land Coordinator:
F	Remarks:	
	2	
Direct	or:	<del></del>
F	Remarks:	
Include Wit	thin Approval Let	ter:
	Required	Survey Plat Required
0rder	No .	Blowout Prevention Equipment
Rule (		cal exception/company owns or controls acreage 60' radius of proposed site
O.K.	Rule C-3	O.K. In the Unit
Other	:	· por
		Letter Written

## U.S. GEOMICAL SURVEY, CONSERVATION VISION

FROM: DISTRICT GEOLOGIST, SALT LAKE CITY, UTAH

TO:

DISTRICT ENGINEER, SALT LAKE CITY, UTAH

	Well	Location	Lease No.
. !	Reserve Oil & Gas Peters Point #12	492'FNL, 928'FWL, sec. 34, T. 12 S., R. 16 E., SLM, Carbon Co. Gr. El. 7250'.	U-08107

- I. Stratigraphy and Potential The Humble #8, same section, reported tops: Wasatch-Oil and Gas Horizons. 2813', Cretaceous-6065', Castlegate-8250', Blackhawk-8512', Mancos-9310', T.D. 9373'. P&A.
- 2. Fresh Water Sands. In a report from sec. 10, T. 13 S., R. 16 E., WRD reported: "There are no water wells in the vicinity of the proposed test. Usable water may be found as deep as 2,000 feet below land surface. Deeper aquifers contain more saline water or brine."
- 3. Other Mineral Bearing Formations. Within oil shale withdrawal E.O. 5327. The (Coal, Oil Shale, Potash, Etc.) Parachute Creek Member of the Green River Formation contains beds of oil shale. The Mahogany zone if present at this location will be close to ground surface. Protection of oil shale beds should extend below the Mahogany zone.
- 4. Possible Lost Circulation Zones. The Hyland Oil Corp. #3 (sec. 28), same town-ship, reported lost circulation from surface to 3094'.
- 5. Other Horizons Which May Need Special Fresh water sands of the Green River Mud, Casing, or Cementing Programs. Formation should be protected if encountered.
- 6. Possible Abnormal Pressure Zones and Temperature Gradients.

  Unknown.
- 7. Competency of Beds at Proposed Probably adequate. Casing Setting Points.
- 8. Additional Logs or Samples Needed. Adequate logs for identification of oil shale beds and any fresh water zones encountered.
- 9. References and Remarks Inside KGS.

State 046

Date: August 22, 1975 Signed: SR / Cet

POST OFFICE BOX 5568, DENVER, COLORADO 80217 DENVER CENTER BUILDING TELEPHONE (303) 861-7800





January 12, 1976

State of Utah Dept. of Natural Resources Div. of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

Attention: Kathy Ostler

Peters Point Unit 12 4 // RE: Sec. 34, T12S, R16E

Carbon County, Utah

Dear Mr. Ostler:

The subject location has never been approved by the USGS according to our records. Consequently, there has been no subsequent activity on that location.

Richard R. Carpenter

RRC: pm


Richard R. Carpenter.
Production Accountant

Ed has not as yet offered - Can

find no reason - will be approved

1004

# T 12 S , R 16 E , S.L.B. & M.



PROJECT

Utah.

RESERVE OIL & GAS COMPANY
Well location located as shown in the
NW 1/4 NW 1/4, Section 34, T12S,
R 16 E, S. L. B. & M. Carbon County,



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 3154 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q — 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE  " = 1000'	DATE 8 / 8 / 75
PARTY	REFERENCES
D.A. D.G. S.S.	GLO Plat
WEATHER	FILE
Hot	RESERVE OIL & GAS CO.

İ		:	į				İ	ŧ					. :						
UN	M.	AR	PF	EN	VI	ด๋≀ห	NM	ΕŃ	TA	<u>L</u>	М	PA	CT	E	<u>. U</u>	ATIO	ON .		
-	<u> </u>	1	<del> </del>	<del>                                     </del>	<u> </u>	<del></del>		1											
c	 ons	tru	iction	P	oli	uti	on						1				Accid	ants	Others
F	<del>                                     </del>		<u> </u>	-			-	+					-	-		-	70010	013	
							atc		(g)		_		٠,						
			6				t -		tie:		6,43	63)							
İ			13	_					:::		S	Ξ		·					•
	nes		i i	080	0		io		fa.		eni	aci							
13	Seli	၈	340	isp	org		X O C		313		fsc	xt. f							
ğ	ā	ent	0.0	×	3ch	30	99		₩.	2	0 00	) (e						6	•
i o	983	ξ	510 083	Ē	die	od	000		rod	970	tic	ing					9	ı:	-
983,	i <u>i</u> u	unoc	mpr	i3e,	uenî	dis	xic g	6	al (P	Rec	stru(	cess					led	al fo	•
brid	issi	Ē	<u>a</u> 8	g, nc	effl	face	(10	Ë	you.	ary	r ob:	l pro		•	89		and	ion	j.
143,	กรท	ns &	ners	rnin	biu	bsur	hers	II dr	idre	puos	880	eral	ers	ıcks	elin	hers	<u>e</u> .	erat	: 1
Roc	Tro	Dar	0	Bul	Liq	Sul	ë.	Ϋ́в	급	Soc	No	Σ̈́	ō	Ŧ	Piç	Ö	Śp	o	
Z																			
																		-	- برمزا کارن در این در این در این در این در این در این در این در این در این در این در این در این در این در این
$\angle$					Z						Ζ								
$\overline{Z}$					/														
		7			/			7						7			/		
				一									1						
П									$\neg$										
7		7			7												/		
			<del>-</del>						$\dashv$			1	7						
$\Box$					7						1	7	$\dashv$						
														7					
					1														
		$\dashv$			7	7			_	7	_	7	7						
										7	$\dashv$		寸						
													-		$_{\cap}$				
4		니		_	-	_		Y	-		-	-		4	4				
		•		j										/		į			
		-		_	-	_			-	-	$\dashv$		-	_					
	5	4	te of		1	4	h								.				
			Ĭ							.									·. •
			.											- }					· · · · · · · · · · · · · · · · · · ·
	C   C   C   C   C   C   C   C   C   C	Roads, bridges, airports O O O O O O O O O O O O O O O O O O O	Roads, bridges, airports O	Roads, bridges, airports  Transmission lines, pipelines  Dams & impoundments  Others (pump stations, etc.)	Roads, bridges, airports  Transmission lines, pipelines  Doms & impoundments  Compressor stations, compressor stations, etc.)	Roads, bridges, airports  Transmission lines, pipelines  Dams & impoundments  Others (pump stations, etc.)  Compressor stations, etc.)  Burning, noise, junk disposal	Roads, bridges, airports   Compositions   Compressor stations, etc.)   C	Roads, bridges, dirports   Compositions   Composi	Construction Pollution	Roads, bridges, dirports   Consmission lines, pipelines   Consmission lines, pipelines   Consmission lines, pipelines   Constant   Roads, bridges, dipports   Compositions   Composi	Roads, bridges, diports   Company   Roads, bridges, cirports	Roads, bridges, airports   Compositions   Composi	Roads, bridges, airports   Transmission lines, pipelines   Transmission lines, pipelines   Transmission lines, pipelines   Dams & impoundments   Dams &	Roads, bridges, girports   Transmission lines, pipelines	Roads, bridges, dirports   Transmission lines, pipelines	Roads, bridges, girports   Transmission lines, pipelines	Roads, bridges, dirports   Frommission lines, pipelines		

Lease <u> </u>
Well No. & Location # 12 SEC 34-T129-R16E
CARBON COUNTY, UTAL
ENVIRONMENTAL EMPACT ANALYSIS - ATTACHT THE 2-B
1. Proposed Action
KESERVE Oil & GAS COMPANY Proposes to
- Orall A DEVELOPMENT OIL AND CAS WELL TO
THE APPROX. PEPTH OF 3500' TO CLEAR AND
TEUEL A ONLING LOCATION 300'X 170' AND
TO CONSTRUCT A RESERVE DIT APPROX. 150' X 150'
ACCESS ROAD.
2. Location and Natural Setting (existing environmental situation)
Control Silver S
The proposep development well is in
THE HETERS HOINT - DACK CANYON FIELD
Approx 48 miles south of Myton, UTAL.
The well size is an A la oil
Amory MI Com 13 ON A 41AT RIGGE
USED to manifest the thomas STRIP
Planes transporting rig AND tield DERSONELL
CoEverally the AREA is vocky with
NUMEROUS VERY PARGE WAShed ON CANYOUS
A Steep CANYON IS JUST TO THE WEST
VEGETATION CONSISTS OF CRESTED WHEAT GRASS Which was seeded after Constructing the
which was seeded After Chiefis Miss
Air strip.

5. Milects on Environment by Proposed Retion (Bottential Institute)
The drilling AND COMPLETION OF A dry hole or tailing will have little long term effect on the AREA.
term effect on the AREA.
Minor AMOUNT Of Air Pollution due to Rig Activity AND SUPPORT treatling
TEMPORARY DISTURBANCE OF live Stock AND
Willoute 3
LERY MINOS INCREASE IN EROSION DUE  TO TOCATION AND ACCESS POAD CONSTRUCTION
LOSS OF VEGETATION
4. Alternatives to the Proposed Action
= NOT Approving the A.P.D
- The location was considered ideal AND ENVIRONMENTAL DAMAGE IS VERY Slight

5. Adverse Environmental Prects Which Cannot Be Avoided	
- TEMP. Air pollution	
	· · · · · · · · · · · · · · · · · · ·
LOSS OF NATURAL VEGETATION	
Disturbance of livestock AND Yold (for	
VERY MINOR INCREASE IN EROSIDS	
	<del></del>
<u>Petermination</u>	
(This requested action (does not) constitute a major rederal action significantly affecting the environment in the sense of NEPA, Section 102(2) (c)).	
Tellen	
Geological Survey Saltlala	<u> </u>

-Casper, Wyoming

CALVIN L. RAMPTON

Governor

THE STATE OF THE S

OIL, GAS, AND MINING BOARD

GUY N. CARDON
Chairman

CHARLES R. HENDERSON ROBERT R. NORMAN JAMES P. COWLEY HYRUM L. LEE

#### GORDON E. HARMSTON Executive Director, NATURAL RESOURCES

CLEON B. FEIGHT

Director

### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771

September 23, 1976

Reserve Oil & Gas Company P. O. Box 5568 Denver, Colorado 80217

> Re: Well No. Peters Point Unit #12 Sec. 34, T. 12S, R. 16E Carbon County, Utah

#### Gentlemen:

In reference to above mentioned well, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill this well, please notify this Division. If spudding or any other activity has taken place, please send necessary forms.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,,

DIVISION OF OIL, GAS, AND MINING

KATHY OSTEER RECORDS CLERK

POST OFFICE BOX 5568, DENVER, COLORADO 80217 DENVER CENTER BUILDING TELEPHONE (303) 861-7800

ROBERT P. MANGOLD, MANAGER-WESTERN DIVISION

September 29, 1976

State of Utah Div. of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

Attention: Kathy Ostler

Dear Ms. Ostler:



With reference to your letter of September 23, 1976 inquiring about well Peters Point Unit #12 in Carbon County, Utah, please be advised as follows. There has not been any activity at this location, and we are not presently contemplating drilling the #12 well. Later, when and if we should decide to drill this location, we will resubmit the necessary application avandored form for your approval.

Yours very truly,

RPM:pm



Conservation Division 8440 Federal Building Salt Lake City, Utah 84138

Reserve 011 and Gas Company P. O. Box 5568 Denver, Colorado 80217

focation and pried for the (k.o.)

Well No. 12 - Peter's Point NW4 NW4, Sec. 34-125-16E Carbon County, Utah Lease U-08107

#### Gentlemen:

Our records indicate that drilling has not commenced on the referenced well and, therefore, the Application for Permit to Drill, which was approved January 15, 1976, is rescinded effective as of this date without prejudice.

Any surface disturbance associated with this approved application must be restored in accordance with the approved Surface Use Plan prior to release of bonding.

If you should again desire to drill at this location, please submit a new Application for Permit to Drill.

Sincerely yours,

(Orlg. Sgd.) E. W. Guvnn

E. W. Guynn District Engineer

bcc: O&GS, NRMA, Casper

BLM. Price Utah State OGM USGS, Vernal Well File